

CCI



ADMIX BLOCK- W™

STRENGTH DEVELOPING HARDENER & ACCELERATOR.

PRODUCT	ADMIX BLOCK- W is fast setting & accelerating plasticizer for varieties of cement works.
BENEFITS	Accelerates setting time, increases strength development. Reduces breakages (vertical as well as corner breakages) during Casting, Loading, Un-loading, and transportation, delivers exceptionally smooth surfaces and improves quality and enhance productivity.
USES	ADMIX BLOCK- W is specially formulated for making strong and quality concrete products like Concrete blocks, hollow blocks, pavement blocks, designer tiles, Manhole covers etc. It can also be effectively used for electric pole and concrete pipes manufacturing.
DESCRIPTION	ADMIX BLOCK-W is liquid in nature specially formulated for specific concrete works. It is a combination of specially selected liquid products and blended to excel in its performance.
PACKING	60 kgs. and 250 kgs. Plastic barrels.
DOSAGE	200 ml to 250 ml per 50 kg of cement. However optimum dosage to be determined at site.
SHELF LIFE	24 months from the month of manufacture if stored in original container under shade.
PRODUCT PROPERTIES	Colour - Clear / Light / Dark brown Specific gravity - 1.270 to 1.280 Solid content - 42% ± 2% Chloride content - Non Toxic Product appearance - Liquid with form. Compatible with - River sand & M sand.

Water - Do not use salty or contaminated water.

CCCLINC



<p>ADDITIONAL INFORMATION</p>	<p>ADMIX BLOCK -W should preferably be added along with mixing water for uniform dispersing effect. Use gloves and glasses while handling, for protection. ADMIX BLOCK- W should be stirred well each time before use.</p>
<p>QUALITY ASSURANCES</p>	<p>CCI INC, is an ISO 9001-2015 certified company and our products are in accordance with international standards.</p>



CCI INC. No. 41, CCI House, 7th B Jakkur Cross, Opp: St .John's School,

Amruthahalli, BENGALURU- 560 092. Phone: +91 80 - 23622421

Telefax: +91 80- 23622421 Website: www.ccichemicals.com

Email : info@ccichemicals.com sales@ccichemicals.com

Customer Support: +91 9481906617 / +91 80 68997002

An ISO 9001-2015 Certified Company

CCI 2016-18 - admix block-w

The information given in this data sheet is based on both current development and many years of field experience. While every effort is made to ensure that the information is reliable, we can not accept responsibility of any work carried out with our products as we have no control over the application procedure adopted at site and site conditions. In view of continuous research and development in our laboratory, we advise customers ,in their own interest, to ensure that this data sheet has not been superseded by any other publication. Field services where provided, does not constitute supervisory responsibility. For additional information, CCI Inc local representative or customer care department may be contacted.

CCIL INC